



SAFETY DATA SHEET AMSOIL Passenger Car & Light Truck Antifreeze & Coolant

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200 and WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR).

1 Identification		
1. Identification		
Product identifier	AMSOIL Passenger Car & Light Truck Antifreeze & Coolant	
Product name	ANTPC	
Product number		
Recommended use of the che	emical and restrictions on use	
Application	Coolant.	
Uses advised against	Avoid the formation of mists.	
Details of the supplier of the s	afety data sheet	
Supplier	AMSOIL INC. Bordner, Ladner, Gervais Scotia Plaza, 40 King St W Toronto, ON, Canada M5H 3Y4 T: +1 416-367-6547	
Manufacturer	AMSOIL INC. One AMSOIL Center, Superior, WI 54880, USA. T: +1 715-392-7101 compliance@amsoil.com	
Emergency telephone number	r	
Emergency telephone	CHEMTREC: Within USA and Canada: 1-800-424-9300 Outside the USA and Canada: +1 703-741-5970 (collect calls accepted) 24/7	
2. Hazard(s) identification		
Classification of the substance	e or mixture	
OSHA/WHMIS Regulatory Status	This Product is Hazardous under the OSHA Hazard Communication Standard and according to the hazard criteria of the Hazardous Product Regulations.	
Physical hazards	Not Classified	
Health hazards	Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 STOT RE 2 - H373	
Environmental hazards	Not Classified	
Label elements Pictogram		
Signal word	Warning	



AMSOIL Passenger Car & Light Truck Antifreeze & Coolant

Hazard statements	H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H373 May cause damage to organs through prolonged or repeated exposure.
Precautionary statements	 P260 Do not breathe vapor/ spray. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves, eye and face protection. P301+P312 If swallowed: Call a poison center/ doctor if you feel unwell. P302+P352 If on skin: Wash with plenty of water. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical advice/ attention if you feel unwell. P330 Rinse mouth. P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.
Contains	Ethanediol, Sodium 4(or 5)-methyl-1H-benzotriazolide

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients	
Mixtures	
Ethanediol	25 - <50%
CAS number: 107-21-1	
Classification	
Acute Tox. 4 - H302	
STOT RE 2 - H373	
Potassium succinate	2.5 - <3%
CAS number: 676-47-1	
Classification	
Skin Irrit. 2 - H315	
Eye Irrit. 2A - H319	
Dodecanedioic acid	1 - <2.5%
CAS number: 693-23-2	
Classification	
Eye Irrit. 2A - H319	

keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person of their side in the recovery position and ensure breathing is difficult, properly trained or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the heal should be kept low so that vomit does not enter the lungs. Never give anything by mouth to unconscious person. Move affected person to feels hair and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing. Place unconscious person on their side in the recovery position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothin such as collar, tie or belt.Skin ContactRinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.Protection of first aidersFirst aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.Most important symptoms and effects, both acute and delayedSee Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.InhalationProlonged inhalation of high concentrations ma	Sodium 4(or 5)-methyl-1H-b	enzotriazolide 1 - <2.5%
Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411 The full text for all hazard statements is displayed in Section 16. Composition comments The exact percentage is withheld as a trade secret in accordance with 29 CFR 1910.1200. 4. First-aid measures Exercise of the exact percentage is withheld as a trade secret in accordance with 29 CFR 1910.1200. 4. First-aid measures Get medical attention immediately. Show this Safety Data Sheet to the medical personnel. Inhalation Get medical attention immediately. Show this Safety Data Sheet to the medical personnel. Inhelation Get medical attention immediately. Show this Safety Data Sheet to the medical personnel. Independent Mark Stop II the affected person by administering oxygen. Place unconscious person or their side in the recovery position and ensure breathing is difficult, properly trained person. Move affected person to that wort mid des not medical personnel. If worting occurs, the heat should be kept lows on that wort it design sont on their side in the recovery position and ensure breathing can take place. Ingestion Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Protection of first aid personnel should wear appropriate protective equipment during any rescue. Wash are other equipment during any rescue. Wash are solar, tie or beit. Skin Contact Rinse immediately with plenty o	CAS number: 64665-57-2	
Composition comments The exact percentage is withheld as a trade secret in accordance with 29 CFR 1910.1200. 4. First-aid measures Description of first aid measures General information Get medical attention immediately. Show this Safety Data Sheet to the medical personnel. Inhalation Remove affected person from source of contamination. Move affected person to fresh air an keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person of their side in the recovery position and ensure breathing can take place. Ingestion Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of wate should be kept low so that vomit does not enter the lungs. Never give anything by mouth to unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothin such as collar, tie or belt. Skin Contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.<	Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318	
4. First-aid measures Description of first aid measures General information Get medical attention immediately. Show this Safety Data Sheet to the medical personnel. Inhalation Remove affected person from source of contamination. Move affected person to fresh air an keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person or their side in the recovery position and ensure breathing can take place. Ingestion Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of wate or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the heas should be kept low so that vomit does not enter the lungs. Never give anything by mouth to unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing. Place unconscious person on their side in the recovery position and ensure breathing. Place unconscious person on their side in the recovery position and ensure breathing. Place. Maintain an open airway. Loosen tight clothin such as collar, tie or belt. Skin Contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Protection of first aiders First aid personnel should wear appropricate protective equipment during any rescue. Wash contaminated cl	The full text for all hazard sta	tements is displayed in Section 16.
Description of first aid measures General information Get medical attention immediately. Show this Safety Data Sheet to the medical personnel. Inhalation Remove affected person from source of contamination. Move affected person to fresh air an keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person or their side in the recovery position and ensure breathing can take place. Ingestion Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of wate or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing. Place unconscious person on their side in the recovery position and ensure breathing. Place unconscious person on their side in the recovery position and ensure breathing. Place unconscious person on their side in the recovery position and ensure breathing. Place unconscious person on their side in the recovery position and ensure breathing. Place unconscious person on their side in the recovery position and ensure breathing thoroughly with water. Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	Composition comments	The exact percentage is withheld as a trade secret in accordance with 29 CFR 1910.1200.
General information Get medical attention immediately. Show this Safety Data Sheet to the medical personnel. Inhalation Remove affected person from source of contamination. Move affected person to fresh air an keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person or their side in the recovery position and ensure breathing can take place. Ingestion Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of wate or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the hear should be kept low so that vomit does not enter the lungs. Never give anything by mouth to unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Skin Contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation. Most important symptoms and effects, both acute and delayed See Section 11 for additional information on health hazards. The	. First-aid measures	
InhalationRemove affected person from source of contamination. Move affected person to fresh air an keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person or their side in the recovery position and ensure breathing is difficult, properly trained or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the hear 	Description of first aid measu	ires
keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person of their side in the recovery position and ensure breathing is difficult, properly trained or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the heal should be kept low so that vomit does not enter the lungs. Never give anything by mouth to unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothin such as collar, tie or belt.Skin ContactRinse with water.Eye contactRinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.Protection of first aidersFirst aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.Most important symptoms and effects, both acute and delayedGeneral informationSee Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.InhalationProlonged inhalation of high concentrations may damage respiratory system.IngestionMay cause discomfort if swallo	General information	Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the hear should be kept low so that vomit does not enter the lungs. Never give anything by mouth to unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothin such as collar, tie or belt.Skin ContactRinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.Protection of first aidersFirst aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.Most important symptoms and effects, both acute and delayed General informationSee Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.InhalationProlonged inhalation of high concentrations may damage respiratory system.IngestionMay cause discomfort if swallowed. Stomach pain. Nausea, vomiting.Skin contactRedness. Irritating to skin.Invitating to eyes.Irritating to eyes.	nhalation	Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on
Eye contactRinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.Protection of first aidersFirst aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.Most important symptoms and effects, both acute and delayedSee Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.InhalationProlonged inhalation of high concentrations may damage respiratory system.IngestionMay cause discomfort if swallowed. Stomach pain. Nausea, vomiting.Skin contactRedness. Irritating to skin.Eye contactIrritating to eyes.	ngestion	position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing
apart. Continue to rinse for at least 10 minutes. Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation. Most important symptoms and effects, both acute and delayed General information See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhalation Prolonged inhalation of high concentrations may damage respiratory system. Ingestion May cause discomfort if swallowed. Stomach pain. Nausea, vomiting. Skin contact Redness. Irritating to skin. Eye contact Irritating to eyes.	Skin Contact	Rinse with water.
contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.Most important symptoms and effects, both acute and delayedGeneral informationSee Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.InhalationProlonged inhalation of high concentrations may damage respiratory system.IngestionMay cause discomfort if swallowed. Stomach pain. Nausea, vomiting.Skin contactRedness. Irritating to skin.Eye contactIrritating to eyes.	Eye contact	
General information See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhalation Prolonged inhalation of high concentrations may damage respiratory system. Ingestion May cause discomfort if swallowed. Stomach pain. Nausea, vomiting. Skin contact Redness. Irritating to skin. Eye contact Irritating to eyes. Indication of immediate medical attention and special treatment needed	Protection of first aiders	contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth
described will vary dependent on the concentration and the length of exposure.InhalationProlonged inhalation of high concentrations may damage respiratory system.IngestionMay cause discomfort if swallowed. Stomach pain. Nausea, vomiting.Skin contactRedness. Irritating to skin.Eye contactIrritating to eyes.Indication of immediate medical attention and special treatment needed	lost important symptoms an	d effects, both acute and delayed
Ingestion May cause discomfort if swallowed. Stomach pain. Nausea, vomiting. Skin contact Redness. Irritating to skin. Eye contact Irritating to eyes. Indication of immediate medical attention and special treatment needed	General information	
Skin contact Redness. Irritating to skin. Eye contact Irritating to eyes. Indication of immediate medical attention and special treatment needed	nhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Eye contact Irritating to eyes.	ngestion	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.
Indication of immediate medical attention and special treatment needed	Skin contact	Redness. Irritating to skin.
	Eye contact	Irritating to eyes.
Notes for the doctor Treat symptomatically	ndication of immediate medi	cal attention and special treatment needed
	lotes for the doctor	Treat symptomatically.

Extinguishing media	
Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from the	he substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.
Hazardous combustion products	Hydrocarbons. Carbon monoxide (CO). Carbon dioxide (CO2). Aldehydes. Alcohols. Ethers.
Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.
6. Accidental release measure	95
Personal precautions, protection	ve equipment and emergency procedures
Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Avoid contact with skin and eyes. Use protective equipment appropriate for surrounding materials.
Environmental precautions	
Environmental precautions	Aquatic toxicity is unlikely to occur. However, large or frequent spills may have hazardous effects on the environment. Absorb spillage with non-combustible, absorbent material. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
Methods and material for conta	ainment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Small Spillages: Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labeled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers. Avoid contact with used product.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
Conditions for safe storage, inc	cluding any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Utilize retaining walls to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Chemical storage.
Specific end uses(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
8. Exposure Controls/personal	protection
Control parameters Occupational exposure limits Comments	The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.
Ethanediol	
Ceiling exposure limit: ACGIH A4	100 mg/m³ Aerosol
ACGIH = American Conferenc A4 = Not Classifiable as a Hun	e of Governmental Industrial Hygienists. nan Carcinogen.
Exposure controls	
Appropriate engineering controls	Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimize worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimize exposure.

SAVE UP TO 25%

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with OSHA 1910.133 and/or the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.6), and any relevant provincial regulation relating to health and safety at work. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and/or the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.9), and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.	
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.	
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.	
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134 and/or the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. Gas and combination filter cartridges should comply with OSHA 1910.134 and/or the Canadian regulation relating to health and safety at work. Gas and combination filter cartridges should comply with OSHA 1910.134 and/or the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134 and/or the Canadian regulation on health and safety at work. SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134 and/or the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134 and/or the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work.	
Environmental exposure controls	Keep container tightly sealed when not in use.	
9. Physical and Chemical Pro	perties	
Information on basic physical and chemical properties		
Appearance	Liquid.	
Color	Yellow.	
Odor	Sweetish.	
Odor threshold	Not available.	
рН	pH (concentrated solution): 8.0 - 8.6	
Melting point	-34°F	
Initial boiling point and range	226°F	
Flash point	116°C/241°F Aqueous solution.	



Evaporation rate	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapor pressure	10 mm Hg @ 20°C/68°F Component data.
Vapor density	2.1 Component data.
Relative density	1.03 - 1.08 @ 60°F
Solubility(ies)	Soluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not applicable.
Explosive properties	Not considered to be explosive.
Oxidizing properties	Does not meet the criteria for classification as oxidizing.
Other information	No information required.
10. Stability and reactivity	
Reactivity	See the other subsections of this section for further details.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	Oxidizing agents. Acids - oxidizing. Strong acids. Strong alkalis.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors. Aldehydes. Alcohols. Ethers.
11. Toxicological information	
Information on toxicological ef	fects
<u>Acute toxicity - oral</u> Notes (oral LD∞)	Acute Tox. 4 - H302 Harmful if swallowed.
ATE oral (mg/kg)	1,226.05
<u>Acute toxicity - dermal</u> Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Animal data	Irritating.



AMSOIL Passenger Car & Light Truck Antifreeze & Coolant

Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye irritation.
Respiratory sensitization Respiratory sensitization	Based on available data the classification criteria are not met.
Skin sensitization Skin sensitization	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
STOT - single exposure Specific target organ toxicity -	
•	
Specific target organ toxicity -	repeated exposure
Specific target organ toxicity - STOT - repeated exposure Aspiration hazard	repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure.
Specific target organ toxicity - STOT - repeated exposure Aspiration hazard Aspiration hazard	repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure. Based on available data the classification criteria are not met. The severity of the symptoms described will vary dependent on the concentration and the
Specific target organ toxicity - STOT - repeated exposure Aspiration hazard Aspiration hazard General information	repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure. Based on available data the classification criteria are not met. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Specific target organ toxicity - STOT - repeated exposure Aspiration hazard Aspiration hazard General information Inhalation	repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure. Based on available data the classification criteria are not met. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Prolonged inhalation of high concentrations may damage respiratory system.
Specific target organ toxicity - STOT - repeated exposure Aspiration hazard Aspiration hazard General information Inhalation Ingestion	repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure. Based on available data the classification criteria are not met. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Prolonged inhalation of high concentrations may damage respiratory system. May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.
Specific target organ toxicity - STOT - repeated exposure Aspiration hazard Aspiration hazard General information Inhalation Ingestion Skin Contact	 repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure. Based on available data the classification criteria are not met. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Prolonged inhalation of high concentrations may damage respiratory system. May cause discomfort if swallowed. Stomach pain. Nausea, vomiting. Redness. Irritating to skin.
Specific target organ toxicity - STOT - repeated exposure Aspiration hazard Aspiration hazard General information Inhalation Ingestion Skin Contact Eye contact	 repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure. Based on available data the classification criteria are not met. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Prolonged inhalation of high concentrations may damage respiratory system. May cause discomfort if swallowed. Stomach pain. Nausea, vomiting. Redness. Irritating to skin. Irritating to eyes.
Specific target organ toxicity - STOT - repeated exposure Aspiration hazard Aspiration hazard General information Inhalation Ingestion Skin Contact Eye contact Route of exposure	 repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure. Based on available data the classification criteria are not met. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Prolonged inhalation of high concentrations may damage respiratory system. May cause discomfort if swallowed. Stomach pain. Nausea, vomiting. Redness. Irritating to skin. Irritating to eyes. Ingestion Inhalation Skin and/or eye contact

Toxicological information on ingredients.

Ethanediol

Acute toxicity - oral	
Notes (oral LD₅₀)	Harmful if swallowed.
ATE oral (mg/kg)	500.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)	3,501.0



AMSOIL Passenger Car & Light Truck Antifreeze & Coolant

Species Mouse	
ATE dermal (mg/kg) 3,501.0	
Acute toxicity - inhalation	
Notes (inhalation LC₅₀) $LC_{50} > 2.5 \text{ mg/l}$, Inhalation, Aerosol., Rat 4 hours	
Skin corrosion/irritation	
Animal data Dose: 0.5 mL, 20 hours, Rabbit Primary dermal irritation index: 0	
Skin sensitization	
Skin sensitization Guinea pig maximization test (GPMT) - Guinea pig: Not sensitizing.	
Germ cell mutagenicity	
Genotoxicity - in vitro Gene mutation: Negative.	
Genotoxicity - in vivo Chromosome aberration: Negative.	
Carcinogenicity	
Carcinogenicity NOAEL 1500 mg/kg/day, Oral, Mouse	
Reproductive toxicity	
Reproductive toxicity - Fertility - NOAEL 1000 mg/kg/day, Oral, Mouse F1 fertility	
Reproductive toxicity - Developmental toxicity: - NOAEC: 150 mg/m ³ , Inhalation, Mouse development	
Specific target organ toxicity - repeated exposure	
STOT - repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or re exposure.	epeated
Target organs Kidneys	
12. Ecological Information	
Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills r hazardous effects on the environment.	nay have
Toxicity Based on available data the classification criteria are not met.	
Ecological information on ingredients.	
Ethanediol	
ToxicityAquatic toxicity is unlikely to occur. Based on available data the classificacriteria are not met.	tion
Acute aquatic toxicity	
Acute toxicity - fish LC ₅₀ , 96 hours: 72860 mg/l, Pimephales promelas (Fat-head Minnow)	
Acute toxicity - aquatic EC₅₀, 48 hours: >100 mg/l, Daphnia magna invertebrates	
Acute toxicity - aquatic EC₅₀, 96 hours: >6500 mg/l, Selenastrum capricornutum plants	
Persistence and degradability	





AMSOIL Passenger Car & Light Truck Antifreeze & Coolant

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

Ethaneo	lial
Emanec	101

			Ethanediol
	Persistence and degradability		The product is readily biodegradable.
	Phototransformation		Water - DT₅₀ : 46.3 hours
	Biodegradation		Water - Degradation >90%: 10 days
Bioaccumula	ative potential		
Bio-Accumulative Potential No data		No data	available on bioaccumulation.
Partition coefficient Not avai		Not avai	lable.
Ecological in	nformation on ingre	edients.	
			Ethanediol
	Bio-Accumulative	Potential	No data available on bioaccumulation.
	Partition coefficient		log Pow: -1.93
Mobility in s	oil		
Mobility	No data a		available.
Ecological information on ingredients.			
			Ethanediol
	Mobility		The product is miscible with water and may spread in water systems.
	Adsorption/desorption coefficient		Water - log Koc: 0 @ °C Estimated value.
	Henry's law cons	tant	0.1327 Pa m³/mol @ 25°C Estimated value.
Other adver	se effects		
Other adver	Other adverse effects None kn		own.
13. Disposa	l considerations		
Waste treat	ment methods		
product way. Di comply any loc handlin contain		products way. Dis comply v any loca handling containe	eration of waste should be minimized or avoided wherever possible. Reuse or recycle wherever possible. This material and its container must be disposed of in a safe posal of this product, process solutions, residues and by-products should at all times with the requirements of environmental protection and waste disposal legislation and I authority requirements. When handling waste, the safety precautions applying to of the product should be considered. Care should be taken when handling emptied rs that have not been thoroughly cleaned or rinsed out. Empty containers or liners and some product residues and hence be potentially hazardous.
license clothe		licensed clothes a	mpty into drains. Dispose of surplus products and those that cannot be recycled via a waste disposal contractor. Waste, residues, empty containers, discarded work and contaminated cleaning materials should be collected in designated containers, with their containers in a longitude on the product of the pr

not feasible.

labeled with their contents. Incineration or landfill should only be considered when recycling is



AMSOIL Passenger Car & Light Truck Antifreeze & Coolant

14. Transport information General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT, TDG). **UN Number** Not applicable. UN proper shipping name Not applicable. Transport hazard class(es) Transport labels No transport warning sign required. Packing group Not applicable. Environmental hazards **Environmentally Hazardous Substance** No. Special precautions for user Not applicable. DOT TIH Zone Not applicable. Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code 15. Regulatory information OSHA Hazard Communication Standard 29 CFR §1910.1200 Hazardous Products Regulation **Regulatory References** (SOR/2015-17) Transportation of Dangerous Goods Regulations -SOR/2015-100. **US Federal Regulations** SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities None of the ingredients are listed or exempt. CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA) The following ingredients are listed or exempt: Acetaldehyde Final CERCLA RQ: 1000(454) pounds (Kilograms) 1.4-dioxane Final CERCLA RQ: 100(45.4) pounds (Kilograms) Ethanediol Final CERCLA RQ: 5000(2270) pounds (Kilograms) SARA Extremely Hazardous Substances EPCRA Reportable Quantities None of the ingredients are listed or exempt. SARA 313 Emission Reporting The following ingredients are listed or exempt:

Acetaldehyde 0.1 % 1,4-dioxane 0.1 % Ethanediol 1.0 %

CAA Accidental Release Prevention

The following ingredients are listed or exempt:

Acetaldehyde Threshold Quantity: 10000 lbs

SARA (311/312) Hazard Categories None of the ingredients are listed or exempt.

OSHA Highly Hazardous Chemicals

The following ingredients are listed or exempt:

Acetaldehyde Threshold Quantity: 2500 lbs

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

The following ingredients are listed or exempt:

Acetaldehyde Known to the State of California to cause cancer.

1,4-dioxane Known to the State of California to cause cancer.

Ethanediol

Known to the State of California to cause developmental and reproductive toxicity.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed or exempt:

Acetaldehyde

1,4-dioxane

Ethanediol

California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances

The following ingredients are listed or exempt:

Acetaldehyde

Ethanol

1,4-dioxane

Ethanediol

Massachusetts "Right To Know" List

The following ingredients are listed or exempt:

Acetaldehyde

Ethanol



1,4-dioxane

Ethanediol

Rhode Island "Right To Know" List

The following ingredients are listed or exempt:

Acetaldehyde

Ethanol

1,4-dioxane

Ethanediol

Minnesota "Right To Know" List

The following ingredients are listed or exempt:

Acetaldehyde

Ethanol

1,4-dioxane

Ethanediol

New Jersey "Right To Know" List

The following ingredients are listed or exempt:

Acetaldehyde

Ethanol

1,4-dioxane

Ethanediol

Pennsylvania "Right To Know" List

The following ingredients are listed or exempt:

Acetaldehyde

Ethanol

1,4-dioxane

Ethanediol

Inventories

Canada - DSL/NDSL All the ingredients are listed or exempt.

US - TSCA All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

The following ingredients are listed or exempt:

Acetaldehyde

16. Other information

SAVE UP TO 25%

AMSOIL Passenger Car & Light Truck Antifreeze & Coolant

Abbreviations and acronyms used in the safety data sheet	C.A.S. = Chemical Abstracts Service; E.C. No = European Commission number; GHS = Globally Harmonised System; OSHA = Occupational Safety and Health Administration; WHMIS = Workplace Hazardous Materials Information System; DOT = Department of Transport; TDG = Transport of Dangerous Goods Regulations; IMDG = International Maritime Dangerous Goods; IATA = International Air Transport Association; SARA = Superfund Amendments and Reauthorization Act; CERCLA = Comprehensive Environmental; EPCRA = Emergency Planning and Community Right-to-Know Act; TSCA = Toxic Substances Control Act; LD/LC/EC = Lethal Dose,Lethal Concentration/Effect Concentration for 50% of population; NOEC = No Overall Effect Concentration; NOEL = No Overall Effect Level; REACH = Registration, Evaluation, Authorisation & Restriction of Chemicals; STOT-RE = Single Target Organ Toxicity - Repeat Exposure; STOT-SE= Specific Target Organ Toxicity - Single Exposure; PBT = Persistent, Bioaccumulative, Toxic; vPvB = Very Persistent, Very Bioaccumulative.
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Eye Irrit. = Eye irritation Skin Irrit. = Skin irritation STOT RE = Specific target organ toxicity-repeated exposure
Key literature references and sources for data	Source: European Chemicals Agency, http://echa.europa.eu/
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	This is the first issue.
Revision date	5/18/2018
SDS No.	7610
Hazard statements in full	 H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.