

5774



Compliant SDS for GHS: HazCom 2012 / United States; WHMIS 2015 / Canada

SAFETY DATA SHEET

AMSOIL Synthetic Firearm Lubricant

| Section 1. Identif | |)ate /ersion | : 02/15/2017 : 1 | |
|--|--|-----------------|---------------------|---|
| GHS product identifier Code Product type | : AMSOIL Synthetic Firearm Lubricant : FLPSC : Aerosol. | | | _ |
| Identified uses | : Lubricating Oil. | | | |
| Manufacturer | : AMSOIL INC. One AMSOIL Center Superior, WI 54880 Tel: +1 715-392-7101 | | | |
| Initial Supplier (Canada) | : AMSOIL INC. Bordner, Ladner, Gervais Scotia Plaza, 40 King St W Toronto, ON, Canada M5H 3Y4 Tel: +1 416-367-6547 | | | |
| Emergency telephone number (with hours of operation) | : CHEMTREC: Within USA and Canada: 1-800-424-9300; Outside USA and Canada: +1 703-741-5970 (collect calls acc (24/7) | cepted) | | |

Section 2. Hazards identification

| OSHA/HCS status | : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|--|--|
| Classification of the substance or mixture | : FLAMMABLE AEROSOLS - Category 1 GASES UNDER PRESSURE - Liquefied gas |
| GHS label elements | |
| Hazard pictograms | |
| Signal word | : Danger |
| Hazard statements | : Extremely flammable aerosol. Contains gas under pressure; may explode if heated. |
| Precautionary statements | |
| Prevention | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. |
| Response | : Not applicable. |

Date of issue : 02/15/2017

SAVE UP TO 25%

AMSOIL Synthetic Firearm Lubricant

| Storage | : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place. |
|---|---|
| Disposal | : Not applicable. |
| Hazards not otherwise c | assified (HNOC) |
| Physical hazards not otherwise classified (PHNOC) | : None known. |
| Health hazards not otherwise classified (HHNOC) | : None known. |

Section 3. Composition/information on ingredients

| Substance/mixture | : Mixture |
|-------------------|------------------|
| Other means of | : Not available. |
| identification | |

| CAS num | ber/othe | <u>r identifiers</u> | |
|---------|----------|----------------------|--|
| | | | |

| CAS number | : Not applicable. |
|--------------|-------------------|
| Product code | : FLPSC |

| Ingredient name | % | CAS number |
|---|-------|------------|
| Calcium bis(dinonylnaphthalenesulphonate) | 1 - 5 | 57855-77-3 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs. |
|--------------|--|
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |

SAVE UP TO 25%

| exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. | |
|---|--|
|---|--|

Most important symptoms/effects, acute and delayed

| Potential acute health effe | <u>its</u> |
|---------------------------------|--|
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| <u>Over-exposure signs/symp</u> | <u>toms</u> |
| Eye contact | : Adverse symptoms may include the following: irritation redness |
| Inhalation | : Adverse symptoms may include the following: respiratory tract irritation coughing |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| Indication of immediate med | lical attention and special treatment needed, if necessary |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

 Extinguishing media
 Suitable extinguishing agent suitable for the surrounding fire.

 Suitable extinguishing media
 : Use an extinguishing agent suitable for the surrounding fire.

 Unsuitable extinguishing media
 : None known.

Date of issue

SAVE UP TO 25%

| Specific hazards arising from the chemical | : Extremely flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard. |
|--|---|
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. | |
|--------------------------------|--|--|
| For emergency responders | : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". | |
| Environmental precautions | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). | |
| Methods and materials for co | ntainment and cleaning up | |
| Spill | : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. | |

Date of issue

BUY ONLINE

FREE CATALOG

SAVE UP TO 25%

Section 7. Handling and storage

AMSOIL Synthetic Firearm Lubricant

| Precautions for safe handling | I | |
|--|---|--|
| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. |
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Protect from sunlight. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Under conditions which may generate mists, the following exposure limits are recommended: ACGIH TLV TWA: 5 mg/m³; STEL: 10 mg/m³.

United States

None known.

Canada

Occupational exposure limits None.

| Appropriate engineering controls | : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment. |
|-------------------------------------|--|
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. |

Individual protection measures

SAVE UP TO 25%

| Hygiene measures | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
|------------------------|---|--|
| Eye/face protection | : | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. |
| Other skin protection | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

Section 9. Physical and chemical properties

| Appearance | |
|--|----------------------|
| Physical state | : Liquid. [Aerosol.] |
| Color | : Cream./Tan. |
| Odor | : Mild hydrocarbon. |
| Odor threshold | : Not determined. |
| рН | Not applicable. |
| Melting point | : Not determined. |
| Boiling point | : Not determined. |
| Flash point | : Not determined. |
| Evaporation rate | : <1 (Ether. = 1) |
| Flammability (solid, gas) | : Not applicable. |
| Lower and upper explosive (flammable) limits | : Level 3 Aerosol. |
| Vapor pressure | : Not determined. |
| Vapor density | : >1 [Air = 1] |
| | |

Date of issue

SAVE UP TO 25%

AMSOIL Synthetic Firearm Lubricant

| Relative density | : | Not determined. |
|--|---|-----------------|
| Solubility | : | Not determined. |
| Partition coefficient: n- octanol/water | : | Not determined. |
| Auto-ignition temperature | : | Not determined. |
| Decomposition temperature | : | Not determined. |
| Viscosity | 1 | Not determined. |
| Volatility | 1 | Not available. |
| Aerosol product | | |
| Type of aerosol | 1 | Spray |
| Heat of combustion | : | 6.832 kJ/g |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|--|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : Avoid all possible sources of ignition (spark or flame). |
| Incompatible materials | : Reactive or incompatible with the following materials: oxidizing materials. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

| Product/ingredient name | Result | | Rabbit >2 | | Dose >20 g/kg | | Exposure - | |
|---|--------------------------|-------|-----------|-------|------------------|-------------|---------------|-------------|
| Calcium bis | LD50 Dermal LD50 Oral | | | | | | | |
| (dinonylnaphthalenesulphonate) | | | | | >5000 | >5000 mg/kg | | - |
| rritation/Corrosion | | | | | | | | |
| Product/ingredient name | Result | Spe | cies | Score | | Exposure | | Observation |
| Calcium bis (dinonylnaphthalenesulphonate) | Skin - Moderate irritant | Rabbi | t | - | | 0.5 ml | | - |
| Sensitization | | • | | • | | 4 | | 4 |

Carcinogenicity

Date of issue



AMSOIL Synthetic Firearm Lubricant

| There is no data available. | |
|--|--|
| Specific target organ toxicit | <u>y (single exposure)</u> |
| There is no data available. | |
| Specific target organ toxicit | <u>y (repeated exposure)</u> |
| There is no data available. | |
| Aspiration hazard | |
| There is no data available. | |
| | |
| Information on the likely routes of exposure | : Dermal contact. Eye contact. Inhalation. Ingestion. |
| Potential acute health effects | <u>s</u> |
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| | |
| Symptoms related to the phy | vsical, chemical and toxicological characteristics |
| Eye contact | : Adverse symptoms may include the following: irritation redness |
| Inhalation | Adverse eventeres may include the following: |

| Inhalation | Adverse symptoms may include the following: respiratory tract irritation coughing |
|--------------|---|
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |

Delayed and immediate effects and also chronic effects from short and long term exposure

| <u>Short term exposure</u> | |
|--------------------------------|---|
| Potential immediate effects | : No known significant effects or critical hazards. |
| Potential delayed effects | : No known significant effects or critical hazards. |
| Long term exposure | |
| Potential immediate effects | : No known significant effects or critical hazards. |
| Potential delayed effects | : No known significant effects or critical hazards. |
| Potential chronic health eff | ects |
| General | : No known significant effects or critical hazards. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| | |
| Mutagenicity | : No known significant effects or critical hazards. |
| Mutagenicity Teratogenicity | No known significant effects or critical hazards.No known significant effects or critical hazards. |
| | |
| Teratogenicity | : No known significant effects or critical hazards. |

Numerical measures of toxicity

SAVE UP TO 25%

Acute toxicity estimates

There is no data available.

Section 12. Ecological information

Toxicity

There is no data available.

Persistence and degradability

There is no data available.

Bioaccumulative potential

| There is no data available. | |
|--|---|
| <u>Mobility in soil</u> | |
| Soil/water partition coefficient (Koc) | : There is no data available. |
| Other adverse effects | : No known significant effects or critical hazards. |

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

Section 14. Transport information

| DOT | TDG | IMDG | IATA |
|---|---|---|--|
| UN1950 | UN1950 | UN1950 | UN1950 |
| Aerosols, flammable (each not exceeding 1 L capacity) | | | Aerosols, flammable (each not exceeding 1 L capacity) |
| | | | |
| | UN1950 Aerosols, flammable (each not | UN1950 UN1950 Aerosols, flammable (each not Aerosols, flammable (each | UN1950 UN1950 UN1950 Aerosols, flammable (each not Aerosols, flammable (each Aerosols, flammable (each not |

AMSOIL Synthetic Firearm Lubricant

| Transport hazard class(es) | 2.1 | 2.1 | 2.1 | 2.1 |
|-------------------------------|-----|--|--|-----|
| Packing group | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. |
| Additional information | - | Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.13-2. 17 (Class 2). | Emergency schedules (EmS) F-E, S-U | - |

AERG : 126

Special precautions for user : **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and the IBC Code

Section 15. Regulatory information

| U.S. Federal regulations | : United States inventory (TSCA 8b): All components are listed or exempted. Clean Air Act (CAA) 112 regulated flammable substances: Butane; Propane | | | |
|---|--|--|--|--|
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : Not listed | | | |
| Clean Air Act Section 602 Class I Substances | : Not listed | | | |
| Clean Air Act Section 602 Class II Substances | : Not listed | | | |
| DEA List I Chemicals (Precursor Chemicals) | : Not listed | | | |
| DEA List II Chemicals (Essential Chemicals) | : Not listed | | | |
| <u>SARA 302/304</u> | | | | |
| Composition/information | on ingredients | | | |
| No products were found. | | | | |
| SARA 304 RQ | : Not applicable. | | | |
| <u>SARA 311/312</u> | | | | |
| Classification | : Fire hazard Sudden release of pressure | | | |
| Composition/information on ingredients | | | | |



| Name | hazard | Sudden release of pressure | Reactive | | Delayed (chronic) health hazard |
|---|--------|----------------------------------|----------|------|--|
| Calcium bis(dinonylnaphthalenesulphonate) | No. | No. | No. | Yes. | No. |

SARA 313

No products were found.

| State regulations | | | |
|----------------------------|--|--|--|
| Massachusetts | : The following components are listed: Butane; Propane | | |
| New York | : None of the components are listed. | | |
| New Jersey | : The following components are listed: Hydrogenated Base Oil (64742-54-7); Butane; Propane | | |
| Pennsylvania | The following components are listed: Hydrogenated Base Oil (64742-54-7); Butane; Propane | | |
| <u>California Prop. 65</u> | | | |
| No products were found. | | | |
| Canadian lists | | | |
| Canadian NPRI | : The following components are listed: Butane; Propane | | |
| CEPA Toxic substances | : None of the components are listed. | | |
| Canada inventory | : All components are listed or exempted. | | |

Section 16. Other information

| <u>History</u> | |
|--------------------------|---------------|
| Date of issue mm/dd/yyyy | : 02/15/2017 |
| Version | : 1 |
| Prepared by | : AMSOIL INC. |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue

: 02/15/2017

11/11